

## ZYXEL GS-105SV2



CENA Z PODATKIEM VAT: **97,52** PLN

CZAS WYSYŁKI: NA ZAMÓWIENIE

Producent: ZyXEL

Numer katalogowy: GS-105SV2-EU0101F

### OPIS PRZEDMIOTU

## Dane techniczne:

|                   |                    |
|-------------------|--------------------|
| <b>Producent:</b> | <b>ZyXel</b>       |
| <b>Gwarancja:</b> | <b>36 miesięcy</b> |

|                                |   |
|--------------------------------|---|
| <b>Funkcje urządzenia:</b>     | <b>switch</b>                                 |
| <b>Interfejsy</b>              | <b>5 x 10/100/1000 Mb/s Cable/xDSL (RJ45)</b> |
| <b>Power of Ethernet (PoE)</b> | <b>Nie</b>                                    |
| <b>Zarządzalny</b>             | <b>Nie</b>                                    |
| <b>Wymiary</b>                 | <b>b/d</b>                                    |
| <b>Waga</b>                    | <b>b/d</b>                                    |

## System Specifications

### Standard

IEEE 802.3 10BASE-T Ethernet  
IEEE 802.3u 100BASE-TX Fast Ethernet  
IEEE 802.3ab 1000BASE-T Gigabit Ethernet  
IEEE 802.3 Nway auto-negotiation  
IEEE 802.3x full duplex operation and flow control  
IEEE 802.3az Energy Efficient Ethernet

### Performance

Data transfer rate (half duplex/full duplex):

Ethernet: 10/20 Mbps

Fast Ethernet: 100/200 Mbps

Gigabit Ethernet: 1000/2000 Mbps

MAC address table: 2 K

Memory buffer: 128 KB

Switching fabric (non-blocking): 10 Gbps

### Features

Auto-MDI/MDIX in all ports

Transmission method:

Store-and-forward architecture

Port-based Quality of Service (QoS) support

Jumbo Frame support up to 9 KB

IGMP snooping v1/v2 support (Forwarding)

## Hardware Specifications

### Interface

Five RJ-45 10/100/1000 Mbps Ethernet ports with auto MDI/MDIX support

### QoS Ports

One high-priority QoS port, two medium-priority QoS ports, and two lowpriority QoS ports

### LED Indicator

PWR: Power

Per port: Link/Activity

Amber: 10/100 Mbps

Green: 1000 Mbps

### Power supply

Input: 100 to 240 V AC

Output: 5 V DC, 1 A

Power Consumption: 2.5 watt max.

## Physical Specifications

Item dimensions (WxDxH): 106 x 75 x 32 mm (4.17" x 2.95" x 1.26")

Item weight: 105 g (0.23 lb.)

Packing dimensions (WxDxH): 127 x 82 x 95 mm (5.00" x 3.23" x 3.74")

Packing weight: 205 g (0.45 lb.)

## Environmental Specifications

### Operating Environment

Temperature: 0°C to 40°C (32°F to 104°F)

Humidity: 10% to 90% (Non-condensing)  
Storage Environment  
Temperature: -20°C to 70°C (-40°F to 158°F)  
Humidity: 10% to 90% (Non-condensing)

## Certification




CE, FCC Class B, BSMI

## Packing Contents

Gigabit switch  
Power adapter  
User's guide  
Warranty card

## High-performance Gigabit for Optimized Video and Online Gaming Experience

The ZyXEL GS-105S v2 5-Port Desktop Gigabit Ethernet Media Switch can easily connect multiple media devices to home networks at blazing-fast Gigabit simultaneously. Moreover, the newly designed GS-105S v2 allow smooth video streaming and online gaming activities.

|   |   |
|---|---|
|  | <b>Plug-and-play, stylish design</b><br>With the easy plug-and-play features, you can connect the ZyXEL GS-105S v2 to VoIP, media players, game consoles, TV set-top box or Web browsing devices to your home network without any configuration effort. The stylish modern look and streamlined design also make the GS-105S v2 fits nicely in the house. |
|  | <b>Bi-color LED indicators for Ethernet port status</b><br>The ZyXEL GS-105S v2 features auto-sensing function and front Gigabit Ethernet ports with easy-to-understand LED indicators, which allows users to quickly check link and activity status at a glance.   |
|  | <b>Blazing-fast Gigabit data transmission</b><br>The ZyXEL GS-105S v2 10/100/1000 Mbps switch is designed to provide reliable high-performance media network connectivity 10 times faster than Fast Ethernet. It perfectly fulfills the demands for multimedia streaming and online gaming at the same time.  |